ARTICLE VI: DISTRICT REGULATIONS DIVISION 2. PARKING AND LOADING § 1-19-6.200. GENERALLY.

[(A) through (D) remain unchanged]

- (E) PARKING REQUIREMENTS MAY BE SATISFIED THROUGH PROVISION OF SURFACE PARKING AREAS, PARKING STRUCTURES, OR A COMBINATION THEREOF.
- (F) PARKING AREAS SHALL BE MAINTAINED SO AS TO PREVENT THE ACCUMULATION OF LITTER AND DEBRIS.
- § 1-19-6.210. LOADING SPACE REQUIREMENTS AND DIMENSIONS.
- (A) Dimensions, clearances and signage. There shall be 2 sizes of off-street loading spaces designated: "small" and "large". Large loading spaces are designed to accommodate uses that require high- volume delivery of goods in a tractor-trailer. Each loading space shall be exclusive of driveways, aisles and other circulation areas. All loading spaces shall have signs and markings indicating that the space is reserved for loading or unloading.
  - [(1) through (2) remain unchanged]
- (B) Requirements. Off-street loading space(s) will be provided and maintained on the same lot as the principal use(s) for delivery of goods in accordance with the table below:

Use Classification	Total Building Net Floor Area (in square feet)	Minimum Loading Spaces Required
Churches PLACE OF WORSHIP, banks, daycareCHILDCARE CENTER/NURSERY SCHOOL, private schools, recreation & community		If approved by staff, no separate loading space is required. However, a temporary loading zone may be required to be delineated on the site plan and which may be located within a parking area.  1 small (see requirements of § 1-19-
buildings, multiple-user retail, all office, and miscellaneous commercial uses not listed herein		6.210(C))
	Over 5,000 sq.ft.	1 large or 2 small (see requirements of §1-19-6.210(C)) + 1 additional large for each additional 15,000 sq.ft. or part thereof over 20,000 sq.ft.

Use Classification	Total Building Net Floor Area (in square feet)	Minimum Loading Spaces Required
Single-user retail, all industrial and all wholesale	0 - 5,000 sq.ft.	1 large
and all wholesale	Over 5,000 sq.ft.	1 large + 1 additional large for each additional 10,000 sq.ft. or part thereof over 5,000 sq.ft.

- [(C) remains unchanged]
- (D) *Modification*. An applicant may request that the Planning Commission approve a modification to the requirements of § 1-19-6.200(B), § 1-19-6.210(A) or THAT THE ZONING ADMINISTRATOR OR PLANNING COMMISSION AUTHORIZED REPRESENTATIVE APPROVE A MODIFICATION TO THE REQUIREMENTS OF § 1-19-6.210(B) of this section. The applicant's request shall include written justification describing why fewer or smaller loading spaces are adequate for the proposed use. The Planning Commission may grant the applicant's request if it finds sufficient cause for the modification.
- (E) REFUSE AND RECYCLING. EXTERIOR REFUSE AND RECYCLING DUMPSTERS SHALL BE PROVIDED IN ACCORDANCE WITH THE REQUIREMENTS OF THE DIVISION OF UTILITIES AND SOLID WASTE MANAGEMENT.

§ 1-19-6.220. PARKING SPACE REQUIREMENTS AND DIMENSIONS.

#### (A) GENERALLY

(1) For the purpose of this chapter, the following parking space requirements IN THE FOLLOWING TABLE will apply. PARKING SHALL BE LIMITED TO THE NUMBER OF SPACES REQUIRED BASED ON AN EVALUATION OF EACH PROPOSED USE, HOURS OF OPERATION, AND JOINT OR SHARED PARKING AGREEMENTS. AN INCREASE OR REDUCTION IN THE NUMBER OF REQUIRED PARKING SPACES MAY BE GRANTED BY THE PLANNING COMMISSION WHERE THE APPLICANT OR PLANNING COMMISSION AUTHORIZED REPRESENTATIVE CAN DEMONSTRATE NEED BASED ON CHARACTERISTICS OF THE PROPOSED USE, HOURLY PARKING DEMAND STUDIES PUBLISHED BY THE INSTITUTE OF TRANSPORTATION ENGINEERS (ITE), OR OTHER DOCUMENTATION AS APPROVED BY THE PLANNING COMMISSION.

- (2) WHEN AN INCREASE IN THE NUMBER OF REQUIRED PARKING SPACES IS GRANTED OR FOR THE PURPOSES OF OVERFLOW PARKING, THE PLANNING COMMISSION MAY REQUIRE THE SPACES TO BE CONSTRUCTED OF PERVIOUS MATERIALS.
- (3) WHEN A REDUCTION IN THE NUMBER OF REQUIRED PARKING SPACES IS GRANTED, THE PLANNING COMMISSION WILL DETERMINE THE EXTENT THAT AN ACCESSIBLE GRADED AND SEEDED AREA SHALL BE RESERVED FOR FUTURE PARKING.
- (4) For uses not listed in the following table, parking requirements shall be determined by the planning commission or their authorized representatives. The requirements shall be based upon similarity to an existing use listed within the table below, characteristics of the proposed use, or hourly parking demand studies published by the Institute of Transportation Engineers (ITE).

TYPE OF USE	PARKING SPACES REQUIRED		
RESIDENTIAL			
SINGLE FAMILY, MOBILE HOME, DUPLEX OR TWO FAMILY DWELLING	2 FOR EACH DWELLING UNIT		
MULTI-FAMILY DWELLING, TOWNHOUSE,	1 SPACE PER UNIT, PLUS ONE-HALF SPACE FOR EACH		
MULTI-FAMILY GROUP DEVELOPMENT	BEDROOM IN THE DWELLING UNIT		
TEMPORARY HOUSING			
BED AND BREAKFAST	2 SPACES PER THE PRIMARY DWELLING, PLUS 1		
	SPACE FOR EACH GUESTROOM (SEE §1-19-8.410)		
HOTEL, MOTEL	1 PER EACH SLEEPING ROOM, PLUS 1 FOR EACH 2		
	EMPLOYEES		
COMMERCIAL USES - RETAIL			
RETAIL STORE	1 FOR EACH 250 SQUARE FEET OF FLOOR AREA		
	EXCLUDING PREPARATION AND/OR STORAGE AREAS		

TYPE OF USE	PARKING SPACES REQUIRED		
FARM EQUIPMENT SALES OR SERVICE	2 SPACES PER SERVICE BAY, PLUS 1.5 SPACES PER EACH EMPLOYEE		
FEED AND GRAIN MILL	1 SPACE PER EACH 300 SQUARE FEET OF SALES FLOOR AREA, PLUS 1 SPACE PER EMPLOYEE		
SHOPPING CENTER LESS THAN 100,000 SQUARE FEET	5 SPACES FOR EACH 1,000 SQUARE FEET OF GROSS LEASABLE AREA		
SHOPPING CENTER 100,000 SQUARE FEET OR GREATER	4.5 SPACES FOR EACH 1,000 SQUARE FEET OF GROSS LEASABLE AREA		
ALL OTHER TYPES OF BUSINESS OR COMMERCIAL USES PERMITTED IN ANY COMMERCIAL DISTRICT	1 FOR EACH 300 SQUARE FEET OF FLOOR AREA		
COMMERCIAL BUSINESS AND PERSONAL SERVICES			
BANK, FINANCIAL INSTITUTION, AND SIMILAR USES	1 FOR EACH 150 SQUARE FEET OF FLOOR AREA EXCLUDING STORAGE AREA		
COMMERCIAL, BUSINESS, TECHNICAL OR TRADE SCHOOL	1 FOR EACH 3 STUDENTS		
FUNERAL HOME AND SIMILAR TYPE USES	1 FOR EACH 150 SQUARE FEET OF FLOOR AREA DEVOTED TO VIEWING		

TYPE OF USE	PARKING SPACES REQUIRED		
MEDICAL AND DENTAL CLINIC AND OFFICE	1 FOR EVERY 200 SQUARE FEET OF FLOOR AREA OF EXAMINATION, TREATING ROOM OFFICE AND WAITIN ROOM		
OFFICE, PUBLIC OR PROFESSIONAL ADMINISTRATION, OR SERVICE BUILDING	1 FOR EACH 300 SQUARE FEET OF FLOOR AREA		
RESTAURANT, DINING ROOM, TAVERN, NIGHT CLUB	1 SPACE PER EACH 50 SQUARE FEET OF FLOOR AREA DEVOTED TO CUSTOMER SERVICE, BUT EXCLUDING FOOD PREPARATION AND STORAGE		
FAST FOOD RESTAURANT	1 SPACE PER EACH 75 SQUARE FEET OF FLOOR AREA DEVOTED TO CUSTOMER SERVICE, BUT EXCLUDING FOOD PREPARATION AND STORAGE		
COUNTRY INN	1 SPACE PER EACH GUEST ROOM, PLUS 1 SPACE PER EMPLOYEE AND 1 SPACE PER 50 SQUARE FEET OF DINING ROOM		
ALL OTHER TYPES OF BUSINESS OR COMMERCIAL USES PERMITTED IN ANY COMMERCIAL DISTRICT	1 FOR EACH 300 SQUARE FEET OF FLOOR AREA		
AUTOMOBILE AND RELATED SERVICES			
AUTOMOBILE SALES AND SERVICE GARAGE	2 SPACES PER SERVICE BAY, PLUS 1.5 SPACE PER EACH EMPLOYEE		

TYPE OF USE	PARKING SPACES REQUIRED	
ANIMAL	CARE AND SERVICE	
ANIMAL HOSPITAL, VETERINARY CLINIC,	1 SPACE PER 400 SQUARE FEET OF FLOOR AREA	
KENNEL	EXCLUDING KENNELS, PLUS 1 SPACE PER	
	EXAMINATION ROOM, PLUS 1 SPACE PER EMPLOYEE	
COMME	RCIAL AMUSEMENTS	
BOWLING ALLEY	3 FOR EACH ALLEY OR LANE, PLUS 1 ADDITIONAL	
	SPACE FOR EACH 100 SQUARE FEET OF THE AREA	
	USED FOR RESTAURANT, COCKTAIL LOUNGE OR	
	SIMILAR USE, BUT EXCLUDING FOOD PREPARATION	
	AREA AND STORAGE	
HEALTH CLUB, FITNESS CENTER,	1 FOR EACH 5 PERSONS CAPACITY, PLUS 1 FOR EACH	
VOCATIONAL/ SPORTS TRAINING FACILITY,	4 SEATS OR 1 FOR EACH 30 SQUARE FEET FLOOR	
COMMERCIAL SWIMMING POOL	AREA USED FOR SEATING PURPOSES, WHICHEVER IS	
	GREATER	
GOLF COURSE	4 SPACES PER EACH HOLE, PLUS 1 SPACE PER EACH	
	50 SQUARE FEET OF FLOOR AREA DEVOTED TO	
	CUSTOMER SERVICE, PLUS 1 SPACE PER 2	
	EMPLOYEES	
SKATING RINK	1 FOR EACH 200 SQUARE FEET OF FLOOR AREA USED	
	FOR THE ACTIVITY	

TYPE OF USE	PARKING SPACES REQUIRED		
THEATER, OUTDOOR OR INDOOR STAGE, AND SIMILAR USES	1 FOR EACH 4 SEATS		
LIBRARY, MUSEUM AND GALLERY	1 FOR EACH 400 SQUARE FEET OF FLOOR AREA		
	1 SPACE PER DRIVING RANGE TEE, PLUS 1 SPACE PER HOLE OF MINIATURE GOLF; PLUS 2 SPACES PER HOLE OF CHIP AND PUTT; PLUS 1 SPACE PER EMPLOYEE		
INDUSTRIAL USES A	AND SOLID WASTE OPERATIONS		
ALL INDUSTRIAL USE AND SOLID WASTE OPERATION	1 FOR EVERY 2 EMPLOYEES (ON THE LARGEST SHIFT FOR WHICH THE BUILDING IS DESIGNED) PLUS 1 FOR EACH MOTOR VEHICLE USED IN THE BUSINESS.		
WAREHOUSE	1 SPACE FOR EACH 1000 SQUARE FEET OF FLOOR AREA		
OPEN SPACE AND INSTITUTIONAL			
SHOOTING RANGE	1 SPACE PER FIRING POSITION, PLUS 1 SPACE PER 2 EMPLOYEES		
RECREATIONAL VEHICLE CAMPGROUND, TENT CAMPGROUND	1 SPACE PER CAMPSITE		

TYPE OF USE	PARKING SPACES REQUIRED		
//\	ISTITUTIONAL		
CHILD CARE CENTER/ NURSERY SCHOOL AND SIMILAR USES	1.5 FOR EACH EMPLOYEE PLUS 1 FOR EVERY 10 CHILDREN APPROVED FOR CARE		
PLACE OF WORSHIP AND OTHER PLACES OF RELIGIOUS ASSEMBLY, CIVIC COMMUNITY CENTER, AND CIVIC SERVICE CLUB	1 FOR EACH 5 SEATS		
GROUP HOME, AND SIMILAR USES	1 FOR EACH 4 BEDS		
HOUSING FOR THE ELDERLY, ASSISTED LIVING	1 FOR EACH 3 UNITS		
HOSPITAL	1 FOR EACH BED, PLUS 1 SPACE PER EACH 3 EMPLOYEES		
GOVERNMENTAL AND NONGOVERNMENTAL UTILITIES			
ARENA OR STADIUM	1 FOR EACH 4 SEATS		
COLLEGE OR UNIVERSITY	1 FOR EACH 4 STUDENTS		
ELEMENTARY AND JUNIOR HIGH SCHOOL	2 FOR EACH CLASSROOM AND 1 FOR EVERY 8 SEATS IN AUDITORIUMS OR ASSEMBLY HALLS		
HIGH SCHOOL	1 FOR EVERY 10 STUDENTS AND 1 FOR EACH TEACHER AND EMPLOYEE		

Type of Use	Parking Spaces Required	
Residential		
Single family, duplex or two family dwelling	2 for each dwelling unit	
Multi-family dwellings, townhouses	1 space per unit, plus one half space for each bedroom in the dwelling unit	
Bed and breakfast	2 spaces per the primary dwelling, plus 1 space for each guestroom (see §1-19-8.410)	
Housing for the elderly	1 for each 3 units; however, additional area must be reserved for future parking sufficient to meet the standards above, depending on housing type	
Commercial		
Automobile sales and service garages; farm equipment sales or service	1 space per each 300 square feet of floor area	
Feed and grain mill	1 space per each 300 square feet of sales floor area, plus 1 space per employee	
Country inn	1 space per each guest room, plus 1 space per employe and 1 space per 50 square feet of dining room	
Hotels, motels	1 per each sleeping room, plus 1 for each 2 employees	
Funeral parlors, mortuaries and similar type uses	1 for each 150 square feet of floor area devoted to viewing	
Retail stores	1 for each 150 square feet of floor area excluding preparation and/or storage areas	
Banks, financial institutional and similar uses	1 for each 150 square feet of floor area excluding storage area	
Offices, public or professional administration, or service buildings	1 for each 400 square feet of floor area	
All other types of business or commercial uses permitted in any commercial district	1 for each 300 square feet of floor area	
Shopping centers	5.5 spaces for each 1,000 square feet of gross leasable area	
Recreational or Entertainment		
Dining rooms, fast food shops, restaurants, taverns, night clubs, etc.	1 space per each 50 square feet of floor area devoted to customer service, but excluding food preparation and storage	

Bowling alleys	4 for each alley or lane, plus 1 additional space for each 100 square feet of the area used for restaurant, cocktail lounge or similar use		
Skating rinks	1 for each 100 square feet of floor area used for the activity		
Type of Use	Parking Spaces Required		
Recreational or Entertainment (Cont'd)			
Outdoor swimming pools, public, community, or club, health club, fitness center, vocational/sports training facility, rustic retreat/camp, outdoor club	1 for each 5 persons capacity, plus 1 for each 4 seats or 1 for each 30 square feet floor area used for seating purposes, whichever is greater		
Outdoor recreation center	1 space per driving range tee, plus 1 space per hole of miniature golf; plus 2 spaces per hole of chip and putt; plus one space per employee		
Golf course	4 spaces per each hole, plus 1 space per each 50 square feet of floor area devoted to customer service, plus one space per 2 employees		
Recreational vehicle campground, tent campground	1 space per campsite		
Shooting range	1 space per firing position, plus 1 space per 2 employees		
Auditoriums, sport arenas, theaters, and similar uses	1 for each 4 seats		
<b>Institutional</b>			
Place of worship, other places of religious assembly, civic community center, and civic service club	1 for each 5 seats		
Hospitals	1 for each bed		
Medical and dental clinics and offices	1 for every 100 square feet of floor area of examination, treating room office and waiting room		
Sanitariums, homes for the aged, nursing homes, children homes, asylums, and similar uses	1 for each 2 beds		
Libraries, museums and art galleries	1 for each 400 square feet of floor area		
Schools (Public, Parochial, or Private)			
Elementary and junior high schools	2 for each classroom and 1 for every 8 seats in		

	auditoriums or assembly halls		
High schools	1 for every 10 students and 1 for each teacher and employee		
Business, technical and trade schools	1 for each 2 students		
Colleges, universities	1 for each 4 students		
Kindergartens, nursery schools and similar uses	2 for each classroom, but not less than 6 for the building		
Child care centers	1 for every staff person and 1 space for every 10 licensed slots		
Animal Care and Service			
Animal hospital, veterinary clinic, kennel	1 space per 400 square feet of floor area excluding kennels, plus 1 space per examination room, plus 1 space per employee		
<del>Industrial</del>			
All industrial uses and solid waste operations	1 for every 2 employees (on the largest shift for which the building is designed) plus 1 for each motor vehicle used in the business.		


# (B) PARKING AREA DIMENSIONS

PARKING AREAS SHALL CONFORM TO THE FOLLOWING DIMENSION REQUIREMENTS:

# (1) PARKING SPACE AND AISLE DIMENSIONS

Α	В	С	D	E
PARKING	STALL WIDTH	STALL DEPTH	AISLE	AISLE
ANGLE			WIDTH	WIDTH
			ONE-WAY	TWO-WAY
90°	9'	18'	22'	24'
60°	9'	19'	*18'	22'
45°	9'	17'	*15'	22'
PARALLEL	8'	22'	N/A	N/A

<sup>\*</sup>EXCEPT WHERE AN INCREASE IS REQUIRED BASED ON LOCAL FIRE CODE ACCESS REQUIREMENTS



- (2) AN INCREASE IN STALL AND AISLE WIDTH DIMENSIONS MAY BE GRANTED WHEN RECOMMENDED BY THE DIVISION OF PERMITTING AND DEVELOPMENT REVIEW TRAFFIC ENGINEER AND APPROVED BY THE PLANNING COMMISSION OR THEIR AUTHORIZED REPRESENTATIVE (AS PROVIDED IN SECTION 1-19-3.300 THRUOGH 1-19-3.300.4), FOR THE FOLLOWING:
- (a) SAFETY OR SITE CIRCULATION NEEDS WHICH SHALL BE BASED ON AN EVALUATION OF LAND USE TURNOVER RATES (ITE TRAFFIC ENGINEERING HANDBOOK, 6<sup>TH</sup> EDITION AS AMENDED), CIRCULATION EFFICIENCY, AND PARKING AVAILABILITY
- (3) A DECREASE IN STALL AND AISLE WIDTH DIMENSIONS MAY BE GRANTED WHEN RECOMMENDED BY THE DIVISION OF PERMITTING AND DEVELOPMENT REVIEW TRAFFIC ENGINEER AND APPROVED BY THE PLANNING COMMISSION OR THEIR AUTHORIZED REPRESENTATIVE (AS PROVIDED IN SECTION 1-19-3.300-1-19-3.300.4), WHERE NARROWER DIMENSIONS CAN BE REASONABLY ACCOMMODATED WITH NO ADVERSE IMPACT ON SAFETY OR SITE CIRCULATION EFFICIENCY FOR THE FOLLOWING:
- (a) COMPACT DEVELOPMENT PATTERNS BASED ON LAND USE CHARACTERISTICS AND TYPICAL VEHICLE SIZE

- (b) SINGLE-LOADED AND NO-LOADED PARKING AISLES
- (c) HISTORIC RETROFIT, ADAPTIVE REUSE, AND REDEVELOPMENT PROJECTS

### (C) PARKING AREA CONSTRUCTION

REQUIRED PARKING AREAS SHALL BE CONSTRUCTED OF A MATERIAL WITH SPACES CLEARLY DELINEATED IN A MANNER APPROVED BY THE PLANNING COMMISSION.

#### (D) COMPACT PARKING SPACES

THE PLANNING COMMISSION MAY REQUIRE UP TO 15% OF THE REQUIRED PARKING SPACES TO BE CONSTRUCTED FOR COMPACT 90° VEHICLE PARKING. COMPACT PARKING SPACES SHALL BE SIGNED OR PAINTED WITH THE WORDS "COMPACT". COMPACT PARKING SPACE DIMENSIONS SHALL BE 8' IN WIDTH AND 16' IN LENGTH. TO PROVIDE FOR COMPACT VEHICLE PARKING WHICH FUNCTIONS MOST EFFICIENTLY WHERE APPLIED, THE CALCULATION OF REQUIRED COMPACT PARKING SPACES SHALL BE BASED ON AN EVALUATION OF PARKING AREA DESIGN, PROPOSED USE, AND EXPECTED VEHICLE PARKING TURNOVER RATES AS PROVIDED BY THE APPLICANT.

### (E) HANDICAPPED ACCESSIBILITY

ALL PARKING AREAS SHALL INCLUDE HANDICAPPED ACCESSIBLE SPACES IN CONFORMANCE WITH THE MARYLAND ACCESSIBILITY CODE.

#### (F) ADJACENT PARKING AREAS

WHERE A PROPOSED PARKING AREA IS ADJACENT TO A DEVELOPED OR UNDEVELOPED SITE WITHIN THE SAME OR SIMILAR ZONING DISTRICT, THE PROPOSED PARKING AREA MUST BE DESIGNED TO CONNECT TO THE EXISTING OR FUTURE ADJACENT PARKING AREA. THIS REQUIREMENT MAY BE WAIVED BY THE PLANNING COMMISSION WHERE IT IS DEEMED TO BE IMPRACTICAL.

#### (G) PEDESTRIAN ACCESS

CLEARLY DELINEATED PEDESTRIAN CROSSWALKS, SIDEWALKS, AND WALKWAYS SHALL BE PROVIDED TO ALLOW SAFE, CONVENIENT, AND DIRECT ACCESS WITHIN THE PARKING AREA, AND FROM THE PARKING AREA TO BUILDING ENTRANCES.

#### (H) BICYCLE PARKING

(1) FOR THE PURPOSES OF THIS CHAPTER, THE BICYCLE PARKING REQUIREMENTS IN THE FOLLOWING TABLE WILL APPLY:

		Required Bicycle Parking				
Use Categories	Specific Uses <sup>1</sup>	Class A (Locked Room or Lockers)	Class B (Bicycle Racks) 1 Rack = 2 bike parking spaces			
Residential <sup>2</sup>	Multifamily dwelling, multifamily group development, or townhouse w/o garage (8 or more units)	Locked room or lockers with space for 4 bikes for each 10 units	1 rack for each 10 units, minimum 2. Not required if Class A parking is provided			
	Motel, hotel	None	1 rack for each 20 auto spaces, minimum 1, maximum 10			
Commercial (5,000 Square Feet GFA or Greater)	All	None	1 rack for each 20 auto spaces, minimum 1, maximum 10			
Office / Research / Industrial (5,000 Square Feet GFA or Greater)	Planned Industrial / Commercial Development, Office Research or Industrial parks planned as a unit, and MXD zoning district	None	1 rack per 40,000 SF of GFA, minimum 1, maximum 10.			
Open Space and Institutional / Government / Commercial Amusements	Commercial amusements / fairground / arena or stadium / civic community center	None	1 rack for each 20 auto spaces, minimum 1, maximum 20			
	Transit centers / rail stations	None	minimum 10			
	Park and ride	None	1 rack for each 50 auto spaces, min 2			
pac me	School - K-8	None	1 rack for each classroom			
Ser Ser	School 9-12	None	1 rack for each 2 classrooms			
Open Gove Amus	College	Per campus plan as approved by Planning Commission				
	Hospital	None 1 rack for each 50,000 SF of 6 min 1				
	Place of worship	None 1 rack for each 20,000 SF of min 1				
	Child care center	None	1 rack for each 20,000 SF of GFA, min 1			

<sup>1:</sup> No bicycle parking required in Agricultural or Resource Conservation zoning districts unless the specific use is noted in the above table and the proposed site is within 1.2 miles of a designated growth area.

<sup>2:</sup> Where required, bicycle parking for residential uses may be provided as class A (locked room/lockers) or class B (racks)

- (2) A REDUCTION IN REQUIRED BICYCLE PARKING MAY BE GRANTED BY THE PLANNING COMMISSION WHERE THE APPLICANT CAN DEMONSTRATE NEED BASED ON NEIGHBORHOOD CHARACTERISTICS, CHARACTERISTICS OF THE PROPOSED USE, OR OTHER DOCUMENTATION AS APPROVED BY THE PLANNING COMMISSION.
- (3) THE DESIGN OF BICYCLE PARKING SHALL CONFORM TO THE FREDERICK COUNTY BICYCLE PARKING DESIGN GUIDE.

EDITOR'S NOTE: SUBSECTION (H) BICYCLE PARKING SHALL APPLY TO APPLICATIONS FOR DEVELOPMENT RECEIVING FINAL SITE DEVELOPMENT PLAN APPROVAL AFTER [THE EFFECTIVE DATE OF THIS ORDINANCE]

§1-19-6.320. SIGNS PERMITTED AND REGULATED IN THE ZONING DISTRICT.

Sign Type		Maximum Size Permitted¹		Zoning District Permitted	Setback From Property Line <sup>3</sup>			Conditions Required to be Met
		Area sf = sq. feet	Height <sup>2</sup> f (feet)		Front	Side	Rear	
(5)	Home occupation	(2 sf)	RC and A Districts (6 f)	In district where use is permitted	30'	104	10'	One sign only. Signs in R D DistrictS must be attached to principal or accessory structure.

(A) In accordance with the site plan review process provided in section 1-19-3.300 through 1-19-3.300.4 or as otherwise provided within this chapter the Planning Commission may require LANDSCAPING, screening, AND BUFFERING along the property line and around and within the parking areas. LANDSCAPING, SCREENING, AND BUFFERING SHALL BE PROVIDED IN CONFORMANCE WITH THE FOLLOWING #minimum standards—are:

## (A) STREET TREES

STREET TREES SHALL BE PROVIDED ALONG THE PROPERTY LINE ADJACENT TO THE PAVED SURFACE OF AN EXISTING OR PROPOSED PUBLIC RIGHT OF WAY planting strips will be IN A PLANTING AREA no less than 5 7 feet wide, AND planted with shrubs or trees, IN ACCORDANCE WITH THE FOLLOWING MINIMUM STANDARDS:

- (1) ONE TREE AT LEAST 6 FEET IN HEIGHT AT THE TIME OF PLANTING SHALL BE PROVIDED PER 35 FEET OF ROADWAY FRONTAGE.
- (2) AN ALTERNATE ON-SITE LOCATION FOR TREES MAY BE APPROVED BY THE PLANNING COMMISSION OR PLANNING COMMISSION AUTHORIZED REPRESENTATIVE WHEN A SPECIFIC FINDING IS MADE THAT THE ALTERNATE LOCATION IS REQUIRED DUE TO:
  - (a) PHYSICAL SITE CONSTRAINTS; OR
- (b) THE IRREGULAR AND NON-LINEAR NATURE OF LANDSCAPING IN THE GI ZONING DISTRICT OR, THE RC, A, R1, OR VC ZONING DISTRICTS OUTSIDE OF COMMUNITY GROWTH AREAS; OR
- (c) APPROVAL OF AN ALTERNATE PLANTING DESIGN BY THE PLANNING COMMISSION

#### (B) LAND USE BUFFERING AND SCREENING

TO ACHIEVE BUFFERING AND SCREENING BETWEEN LAND USES THE FOLLOWING SHALL BE PROVIDED ALONG COMMON PROPERTY LINES:

(1) WHERE INDUSTRIAL, MINERAL MINING, OR SOLID WASTE USES ARE LOCATED ADJACENT TO RESIDENTIAL ZONING DISTRICTS: A MIXTURE OF PLANTINGS INCLUDING PREDOMINANTLY EVERGREEN SHRUBS OR TREES SPACED AT INTERVALS WHICH ARE EXPECTED TO ACHIEVE A MIXTURE OF HEIGHT AT MATURITY BETWEEN 6 FEET AND 15 FEET AND TO PROVIDE COMPLETE BUFFERING AND SCREENING FROM THE RESIDENTIAL ZONING DISTRICT, AS DETERMINED BY THE PLANNING COMMISSION.

- (2) WHERE COMMERCIAL OR INSTITUTIONAL USES ARE LOCATED ADJACENT TO RESIDENTIAL ZONING DISTRICTS: A MIXTURE OF PLANTINGS INCLUDING PREDOMINANTLY EVERGREEN SHRUBS OR TREES SPACED AT INTERVALS WHICH ARE EXPECTED TO ACHIEVE A MIXTURE OF HEIGHT AT MATURITY BETWEEN 6 FEET AND 15 FEET AND TO PROVIDE EFFECTIVE BUFFERING, AS DETERMINED BY THE PLANNING COMMISSION.
- (3) ALL OTHER USES: BUFFERING AND SCREENING FOR ALL OTHER LAND USES SHALL BE DETERMINED BY THE PLANNING COMMISSION.

## (C) PARKING AREA BUFFERING AND SCREENING

PARKING AREAS SHALL BE SCREENED FROM ROADWAYS IN ACCORDANCE WITH THE FOLLOWING MINIMUM STANDARDS:

- (1) WHERE PARKING AREAS ARE ADJACENT TO RESIDENTIAL USES OR ZONING DISTRICTS, OR ROADWAYS WITH AT LEAST A COLLECTOR STATUS AS DESIGNATED ON THE COUNTY COMPREHENSIVE PLAN: PLANTINGS OF which are of a type PREDOMINANTLY EVERGREEN SHRUBS OR TREES and spaced at intervals which may be expected to form a year-round dense screen EFFECTIVE BUFFERING AND SCREENING at least 6 feet 30 INCHES high AT THE TIME OF PLANTING. within 3 years.
- (2) ALL OTHER PARKING AREAS: PLANTINGS OF PREDOMINANTLY EVERGREEN SHRUBS OR TREES SPACED AT INTERVALS WHICH MAY BE EXPECTED TO FORM EFFECTIVE BUFFERING AT LEAST 30 INCHES HIGH AT THE TIME OF PLANTING.

### (D) PARKING AREA LANDSCAPING

WITHIN REQUIRED PARKING AREAS LANDSCAPING SHALL BE PROVIDED IN ACCORDANCE WITH THE FOLLOWING MINIMUM STANDARDS:

- (1) PARKING AREAS SHALL BE SEPARATED INTO BAYS WITH AN AVERAGE OF NO MORE THAN 10 PARKING SPACES. EACH PARKING BAY SHALL CONTAIN NO MORE THAN 15 CONTINUOUS PARKING SPACES. BETWEEN OR AT THE END OF EACH BAY OF PARKING SPACES THERE SHALL BE A PLANTING AREA OF AT LEAST 5 FEET IN WIDTH. EACH PLANTING AREA SHALL CONTAIN 1 TREE AT LEAST 6 FEET IN HEIGHT AT THE TIME OF PLANTING AND GROUNDCOVER CONTAINING AT LEAST TWO SHRUBS FOR EVERY 100 SQUARE FEET OF LANDSCAPE AREA.
- (2) PLANTING AREA TREES SHALL BE PREDOMINANTLY DECIDUOUS AND PROVIDE AT LEAST 20% CANOPY COVER AT MATURITY.

- (E) LANDSCAPING, SCREENING, OR BUFFERING:
  - (1) SHALL BE MAINTAINED IN A LIVING CONDITION
- (2) SHALL EMPHASIZE NATIVE SPECIES, WHERE SOIL BASE PERMITS, AS LISTED IN EXHIBIT L1 AND L2 OF THE FREDERICK COUNTY FOREST RESOURCE ORDINANCE, AS AMENDED.
- (3) SHALL NOT INCLUDE SPECIES IDENTIFIED AS INVASIVE/EXOTIC SPECIES AS LISTED IN EXHIBIT K OF THE FREDERICK COUNTY FOREST RESOURCE ORDINANCE, AS AMENDED
  - (4) SHALL BE LOCATED IN ACCORDANCE WITH §1-19-4.610.
- (5) SHALL BE LOCATED AND MAINTAINED IN A CONDITION TO MINIMIZE ADVERSE IMPACTS ON SIGHTLINES AND VISIBILITY.
  - (6) OPAQUE FENCING, WALLS, AND BERMS SHALL BE MAINTAINED.
- (F) EXISTING VEGETATION MAY BE USED TO MEET THE REQUIREMENTS IN THIS SECTION.
- (G) Opaque fencing, WALLS, OR BERMS may be used IN ADDITION TO TREES AND SHRUBS TO MEET THE MINIMUM BUFFERING AND SCREENING STANDARDS in lieu of trees and shrubs, subject to approval of the planning commission. OPAQUE FENCING, WALLS, OR BERMS SHALL BE CONSTRUCTED OF MATERIALS REFLECTIVE OF NEIGHBORHOOD CHARACTERISTICS AS APPROVED BY THE PLANNING COMMISSION. CHAIN LINK FENCING WITH VINYL PRIVACY SLATS SHALL BE UTILIZED ONLY WITHIN INDUSTRIAL ZONING DISTRICTS WHERE SPECIFICALLY APPROVED BY THE PLANNING COMMISSION.

## (H) APPLICATION

TO DEMONSTRATE THE MANNER IN WHICH THE APPLICATION MEETS LANDSCAPING, BUFFERING, OR SCREENING REQUIREMENTS WITHIN THIS CHAPTER, A LANDSCAPING, BUFFERING, AND SCREENING PLAN SHALL BE APPROVED AS PART OF THE SITE PLAN REVIEW AND APPROVAL PROCESS (§1-19-3.300.3). THE LANDSCAPING, BUFFERING, AND SCREENING PLAN SHALL INCLUDE THE FOLLOWING ELEMENTS:

(1) A FORM ACCEPTABLE TO THE DIVISION OF PERMITTING AND DEVELOPMENT REVIEW.

- (2) THE TYPE AND LOCATION OF ALL PROPOSED LANDSCAPING, BUFFERING, AND SCREENING INCLUDING:
  - (a) SPECIES IDENTIFICATION
- (b) THE HEIGHT AND WIDTH OF PROPOSED TREES OR SHRUBS AT PLANTING AND MATURITY
- (c) IDENTIFICATION OF EXISTING TREES OR SHRUBS TO REMAIN INCLUDING HEIGHT AND WIDTH
  - (3) WHERE PROPOSED, FENCES, WALLS, OR BERMS INCLUDING:
    - (a) HEIGHT AND WIDTH
    - (b) TYPE OF MATERIAL
    - (c) CROSS-SECTION AND ELEVATION DETAILS
- (4) THE TOTAL NUMBER AND PERCENTAGE MIXTURE OF EXISTING AND PROPOSED NATIVE SPECIES.
- (5) THE APPLICATION SHALL DEMONSTRATE THE MANNER IN WHICH ON-SITE RECYCLING AND REFUSE MANAGEMENT SHALL BE ACCOMMODATED INCLUDING:
  - (a) LOCATION OF REFUSE/RECYCLING CONTAINERS
  - (b) DIMENSIONS OF REFUSE/RECYCLING LOCATION
  - (c) PROPOSED ACCESS FOR LOADING AND UNLOADING
  - (d) TYPE OF MATERIAL PROPOSED AS SCREENING
- (I) THE PLANNING COMMISSION MAY MODIFY THE MINIMUM LANDSCAPING, BUFFERING, AND SCREENING STANDARDS WHERE A SPECIFIC FINDING IS MADE THAT THE REQUIRED STANDARDS RESULT IN A PRACTICAL DIFFICULTY, AND WHERE AN ALTERNATE LANDSCAPING, BUFFERING, AND SCREENING PLAN IS APPROVED BY THE PLANNING COMMISSION.

DIVISION 5. LIGHTING §1-19-6.500 LIGHTING.

(A) In accordance with the site plan review process provided in §1-19-3.300 through 1-19-3.300.4 or as otherwise provided within this chapter, Elighting emitting objectionable glare observable from surrounding properties or streets will be shielded. SHALL BE DESIGNED AND INSTALLED TO BE FULLY SHIELDED. LIGHTING SHALL BE DIRECTED DOWNWARD TO PREVENT GLARE AND LIGHT TRESPASS ONTO ADJACENT PROPERTIES, ROADWAYS, AND THE NIGHTTIME SKY.

- (B) POLE AND BUILDING MOUNTED LIGHTING SHALL NOT EXCEED A MAXIMUM HEIGHT OF:
- (1) 14 FEET IN PEDESTRIAN ORIENTED DEVELOPMENTS INCLUDING PEDESTRIAN COMPONENTS IN PLANNED UNIT DEVELOPMENT (PUD), MIXED USE DEVELOPMENT (MXD), OFFICE RESEARCH/INDUSTRIAL (ORI), AND PLANNED INDUSTRIAL/COMMERCIAL DEVELOPMENT
  - (2) 18 FEET FOR COMMERCIAL USES
  - (3) 24 FEET FOR INDUSTRIAL USES
- (4) LIGHTING HEIGHT SHALL BE MEASURED FROM THE GROUND TO THE POINT OF ILLUMINATION
- (C) FOR THE PURPOSE OF REDUCTION IN ENERGY CONSUMPTION, LIGHT TRESPASS, AND GLARE, PROPOSED LIGHTING SHALL UTILIZE THE LOWEST LIGHTING LEVELS FEASIBLE. EVALUATION FACTORS INCLUDE: LIGHT DISTRIBUTION AND OVERLAP, NUMBER AND HEIGHT OF FIXTURES.
- (D) LIGHTING SHALL NOT EXCEED .50 FOOT-CANDLES AS MEASURED FROM THE PROPERTY LINE.
- (E) LIGHTING THAT IS EXEMPT FROM THESE REQUIREMENTS INCLUDES TEMPORARY LIGHTING AND LIGHTING PROVIDED FOR EMERGENCY OR SAFETY PURPOSES AS REQUIRED BY: THE BUILDING CODE, ELECTRICAL CODE, OR OTHERWISE WITHIN THE COUNTY CODE.

#### (F) APPLICATION

WHERE REQUIRED WITHIN THIS CHAPTER, A LIGHTING PLAN SHALL BE APPROVED AS PART OF THE SITE PLAN REVIEW AND APPROVAL PROCESS (1-19-3.300.3). THE LIGHTING PLAN SHALL INCLUDE THE FOLLOWING ELEMENTS:

- (1) A FORM ACCEPTABLE TO THE DIVISION OF PERMITTING AND DEVELOPMENT REVIEW
  - (2) THE TYPE AND LOCATION OF ALL PROPOSED LIGHTING INCLUDING:
    - (a) LIGHTING STANDARDS AND SPECIFICATIONS

- (b) PHOTOMETRIC DATA, SUCH AS THAT FURNISHED BY THE MANUFACTURER, SHOWING THE ANGLE OF CUT OFF OF LIGHT EMMISSIONS, UPWARD AND LATERAL GLARE SHIELD DETAILS. AND FOOT-CANDLE LIGHT VALUES FOR THE ENTIRE SITE
  - (c) BUILDING AND POLE MOUNTING HEIGHTS
  - (d) HOURS OF OPERATION
- (G) THE PLANNING COMMISSION MAY MODIFY THE LIGHTING STANDARDS WITHIN THIS SECTION BASED ON CHARACTERISTICS OF THE PROPOSED USE, PHOTOMETRIC STUDIES, NATIONALLY RECOGNIZED STANDARDS, OR OTHER DOCUMENTATION AS APPROVED BY THE PLANNING COMMISSION.

ARTICLE VII: SUPPLEMENTARY DISTRICT REGULATIONS

**DIVISION 5. COMMERCIAL DISTRICTS** 

- § 1-19-7.500. VILLAGE CENTER ZONING DISTRICT OVERLAY STANDARDS.
  - [(A) through (B) remain unchanged]
  - (C) Design standards.
    - [(1) and (2) remain unchanged]
    - (3) Site development and layout.
      - [(a) through (c) remain unchanged]
- (d) All equipment and supplies shall be stored, maintained, and repaired outside of the front yard area. AND WITHIN COMPLETELY ENCLOSED BUILDINGS. THE PLANNING COMMISSION MAY APPROVE OUTDOOR DISPLAY OF PRODUCTS AT THE TIME OF SITE DEVELOPMENT PLAN REVIEW.
  - [(e) through (h) remain unchanged]
- (i) REFUSE AND RECYCLING DUMPSTERS SHALL BE LOCATED AWAY FROM PUBLIC ACCESS AREAS AND MAY BE REQUIRED TO BE SCREENED. THE MOST APPROPRIATE SCREENING SHALL BE DETERMINED AT SITE DEVELOPMENT PLAN REVIEW WITH MATERIALS REFLECTING NEIGHBORHOOD CHARACTERISTICS AS APPROVED BY THE PLANNING COMMISSION.
  - [(4) Remains unchanged]
  - [(D) Remains unchanged]
- § 1-19-7.510. GENERAL COMMERCIAL, HIGHWAY SERVICE.

The following provisions shall be applicable in the General Commercial, Highway Service Districts.

[(A) Through (E) remain unchanged]

(F) REFUSE AND RECYCLING DUMPSTERS SHALL BE LOCATED AWAY FROM PUBLIC ACCESS AREAS AND MAY BE REQUIRED TO BE SCREENED. THE MOST APPROPRIATE SCREENING SHALL BE DETERMINED AT SITE DEVELOPMENT PLAN REVIEW WITH MATERIALS REFLECTING NEIGHBORHOOD CHARACTERISTICS AS APPROVED BY THE PLANNING COMMISSION.

**DIVISION 6. INDUSTRIAL DISTRICTS** 

§ 1-19-7.600. INDUSTRIAL DISTRICTS.

The following provisions shall be applicable in the Industrial Districts.

- (A) through (D)
- (E) REFUSE AND RECYCLING DUMPSTERS SHALL BE LOCATED AWAY FROM PUBLIC ACCESS AREAS AND MAY BE REQUIRED TO BE SCREENED. THE MOST APPROPRIATE SCREENING SHALL BE DETERMINED AT SITE DEVELOPMENT PLAN REVIEW WITH MATERIALS REFLECTING NEIGHBORHOOD CHARACTERISTICS AS APPROVED BY THE PLANNING COMMISSION.

1-19-7.610 INDUSTRIAL DISTRICT PERFORMANCE STANDARDS

- (A) through (J) [Remain unchanged]
- (K) Glare. In LI and GI Districts, any operation or activity producing glare shall be conducted so that direct or indirect light from the source shall not cause illumination in excess of 0.5 footcandle when measured in a Residential District.

ARTICLE XI: DEFINITIONS DIVISION 1. DEFINITIONS 1-19-11.100 DEFINITIONS

CANDELA. UNIT OF LUMINOUS INTENSITY.

FOOT-CANDLE. ILLUMINANCE PRODUCED ON A SURFACE 1 FOOT FROM A UNIFORM POINT SOURCE OF ONE CANDELA.

FULLY SHIELDED FIXTURE. A FIXTURE CONSTRUCTED IN SUCH A MANNER THAT ALL LIGHT EMITTED BY THE FIXTURE IS PROJECTED BELOW THE HORIZONTAL PLANE THROUGH THE FIXTURE.

LIGHT TRESPASS. LIGHT FALLING OUTSIDE OF THE PROPERTY BOUNDARY ON WHICH A LIGHT INSTALLATION IS LOCATED.

PHOTOMETRIC (PHOTOMETRY). MEASUREMENT OF THE INTENSITY OF LIGHT AND DISTRIBUTION.